quired duration. Whenever it was found so, the attention of the producer/director was drawn to that.

(d) The Government do not have any information about it.

(e) Does not arise.

Telecasting of Late Night Films

2137. SHRI PRAMOD MAHAJAN: Will the Minister of INFORMATION AND BROADCASTING be pleased to state:

(a) what is the amount of expendi ture incurred by the Doordarshan in telecasting one late night film;

(b) whether it is a fact that Gov ernment have stopped telecasting of late night films on Fridays upto March 31, 1988 in order to save money for drought relief;

(c) if so, what is the total amount likely to be saved upto March 31, 1988 by thi$_s$ decision;

(d) whether Government approach ed the advertisers for these late night films so that Government get revenue for fighting drought and people will benefit by the late night films; and

(e) if so, what are the results and if not, what are the reasons therefor?

THE MINISTER OF STATE OF THE MINISTRY OF INFORMATION AND BROADCASTING (SHRI A JIT PANJA): (a) Doordarshan has paid royalty for telecast of 'late night films' as per following rate structure:

(i) Hindi/Regional films @ Rs. 3.5 lakhs per film.

(ii) Foreign films procured through the National Film Development Corporation of local T.V. right holders @ Rs. 1.75 lakhs per film.

(iii) Foreign films procured by directed negotiations from abroad as per the rates negotieted and agreed which ha$_s$ been varying from US D 5000 to 7500,

(I.) Telecast of 'late night films' has been suspended till the end of the current financial year as a measure of economy.

(c) Tht likely saving from suspen sion of telecast of 'late night films' would be approximately lis. 85 lakhs.

(d) and (e) Queries were made with the advertisers. But their res ponse was not encouraging.

दिल्ली में भवनों में आग से सुरक्षा के प्रबन्ध

2138. **श्रीमती रेणुका चौधरी :** क्या **शहरी विकास** मंत्री यह बताने की कृपा करेंगे कि :

(क) क्या यह सच है कि दिल्ली फायर सर्विस ने दिल्ली में लगभग एक सौ नौ सरकारी भवनों को असुरक्षित घोषित किया है ;

(ख) यदि हां, तो ऐसे भवनों के नाम क्या हैं; और

(ग) सरकार इन भवनों में आग से सुरक्षा के आवश्यक प्रबन्ध कब तक करने का विचार रखती है ?

शहरी विकास मंत्रालय में राज्य मंत्री (श्री दलबीर सिंह) : (क) और (ख) दिल्ली में 120 गगनचुम्बी सरकारी भवनों को अग्नि सुरक्षा की दृष्टि से त्रुटिपूर्ण पाया गया (नाम अनलग्नक में दिये गये हैं) [देखिये परिशिष्ट CXLIV, अनुषंग सं० 94] इनमें से 40 भवन शहरी विकास मंत्रालय के नियंत्रणाधीन हैं जिनका अनुरक्षण केन्द्रीय लोक निर्माण विभाग द्वारा किया जाता है। इन 40 भवनों की स्थिति इस प्रकार है :-

(i) 8 भवन अपेक्षाओं को पूर्ण करते हैं तथा कोई अतिरिक्त सुविधाएं उपलब्ध करने की आवश्यकता नहीं है।